

AMENDMENTS TO THE CLAIMS

This listing of claims replaces all prior versions, and listings, of claims in the application.

1. (Currently Amended) A two-phase composition comprising:
 - (a) an aqueous phase comprising an alcohol;
 - (b) a silicone oil phase; and
 - (c) guanine that is synthetic or isolated from fish scales, wherein the guanine is present at the interface of (a) and (b).
2. (Original) The composition of claim 1, wherein the silicone oil phase is in the form of droplets.
3. (Original) The composition of claim 2, wherein the droplets have a mean diameter of from about 1 mm to about 10 mm.
4. (Original) The composition of claim 3, wherein the droplets have a mean diameter of from about 2 mm to about 5 mm.
5. (Original) The composition of claim 1, wherein water is present in an amount of from about 10% to about 25% by weight of the composition.
6. (Original) The composition of claim 1, wherein the silicone oil is selected from the group consisting of trisiloxane, cyclomethicone, dimethicone, phenyltrimethicone, and combinations thereof.
7. (Original) The composition of claim 1, wherein the silicone oil is present in an amount of from about 5% to about 50% by weight of the composition.
8. (Original) The composition of claim 1, wherein the guanine is silanized with a silicone oil.

9. (Original) The composition of claim 1, wherein the guanine is present in an amount of from about 0.02% to about 0.3% by weight of the composition.

10. (Original) The composition of claim 1, wherein the alcohol is selected from the group consisting of ethanol, isopropyl alcohol, and combinations thereof.

11. (Original) The composition of claim 1, wherein the alcohol is present in an amount of from about 35% to about 75% by weight of the composition.

12. (Original) The composition of claim 1, further comprising a glycol.

13. (Original) The composition of claim 12, wherein the glycol is selected from the group consisting of propylene glycol, dipropylene glycol, 2-methyl-1,3-propanediol (MPdiol), butylene glycol, dibutylene glycol, pentylene glycol, hexylene glycol, and combinations thereof.

14. (Original) The composition of claim 12, wherein the glycol is present in an amount of from about 0.01% to about 2% by weight of the composition.

15. (Original) The composition of claim 1, further comprising a fragrance.

16. (Original) The composition of claim 15, wherein the fragrance is substantially free from surfactant.

17. (Original) The composition of claim 15, wherein the fragrance is present in an amount of from about 0.1% to about 10% by weight of the composition.

18. (Original) The composition of claim 1, further comprising an emollient.

19. (Original) The composition of claim 18, wherein the emollient is selected from the group consisting of a silicone oil, a vegetable oil, petrolatum, mineral oil, isostearyl

alcohol, hydrocarbon oil having from about 6 to about 20 carbon atoms, and combinations thereof.

20. (Original) The composition of claim 18, wherein the emollient is present in an amount of from about 0.1% to about 20% by weight of the composition.

21. (Original) The composition of claim 1, further comprising a pigment.

22. (Original) The composition of claim 21, wherein the pigment is selected from the group consisting of titanium dioxide, chromium hydroxide, yellow iron oxide, red iron oxide, black iron oxide, zinc oxide, talc, mica, magnesium carbonate, calcium carbonate, magnesium silicate, aluminum magnesium silicate, silica, ultramarine, nylon powder, polyethylene powder, polystyrene powder, silk powder, crystalline cellulose, starch, titanated mica, iron oxide titanated mica, bismuth oxychloride, boron nitride, and combinations thereof.

23. (Original) The composition of claim 21, wherein the pigment is present in an amount of from about 0.001% to about 0.1% by weight of the composition.

24. (Original) The composition of claim 1, further comprising a dye.

25. (Original) The composition of claim 24, wherein the dye is selected from the group consisting of FD&C dyes, D&C dyes, external D&C dyes, and combinations thereof.

26. (Original) The composition of claim 24, wherein the dye is present in an amount of from about 0.000001% to about 0.005% by weight of the composition.

27. (Original) The composition of claim 1, further comprising a second silicone oil to facilitate imparting shine.

28. (Original) The composition of claim 27, wherein the second silicone oil is selected from the group consisting of phenyl trimethicone, cetyl methicone, stearyl methicone, and combinations thereof.

29. (Original) The composition of claim 12, wherein the second silicone oil is present in an amount of from about 0.1% to about 30% by weight of the composition.

30. (Original) The composition of claim 1, further comprising a vitamin.

31. (Original) The composition of claim 30, wherein the vitamin is selected from the group consisting of vitamin E, vitamin K, vitamin C and derivatives thereof, vitamin A, B vitamins, and combinations thereof.

32. (Original) The composition of claim 30, wherein the vitamin is present in an amount of from about 0.001% to about 3% by weight of the composition.

33. (Original) The composition of claim 1, wherein the water added to the composition has a pH of from about 2 to about 9.

34. (Original) The composition of claim 1, wherein the composition is a spray product selected from the group consisting of perfume, air freshener, toner, moisturizer, acne treatment, sun screen, shine spray, hair colorant, and body spray.

35. (Currently Amended) A two-phase composition comprising:

- (a) an aqueous phase comprising an alcohol;
- (b) a silicone oil phase;
- (c) ~~an emulsifier, wherein the emulsifier~~ guanine that is synthetic or isolated from fish scales, wherein the guanine is present at the interface of (a) and (b); and, optionally, one or more of the following ingredients:
 - (i) pigment;
 - (ii) dye;
 - (iii) fragrance;

- (iv) emollient;
- (v) second silicone oil;
- (vi) glycol;
- (vii) vitamin;
- (viii) sun screen;
- (ix) sanitizing agent; and
- (x) acne treatment agent.

36. (Original) A spray assembly comprising:
- (a) a container comprising a transparent wall and a pump assembly extending from the wall;
 - (b) a liquid composition comprising a region containing pearlized oil droplets; and
 - (c) a fluorinated dip tube extending from the pump assembly into the region of pearlized oil droplets of the composition.
37. (Original) The spray assembly of claim 36, wherein the pump assembly is fluorinated.
38. (Original) The spray assembly of claim 36, wherein the wall is spherical.
39. (Original) The spray assembly of claim 36, wherein the wall is bulbous.
40. (Original) The spray assembly of claim 36, wherein the wall is conical.
41. (Original) The spray assembly of claim 36, wherein the transparent wall is formed at least in part of glass or a polymeric material.
42. (Original) The spray assembly of claim 41, wherein the transparent wall is glass.

43. (Original) The spray assembly of claim 41, wherein the polymeric material is selected from the group consisting of polyethylene terephthalate, polyvinylchloride, copolymers thereof, and combinations thereof.

44. (Original) The spray assembly of claim 36, wherein the dip tube, the pump assembly, or both are formed at least in part from a polymeric material selected from the group consisting of polyethylene polypropylene, co-polymers thereof, and blends thereof.

45. (Original) The spray assembly of claim 36, wherein the widest portion of the container has a radius of from about 1 cm to about 4 cm.

46. (Original) The spray assembly of claim 44, wherein the wall defines a height, and wherein half of the volume of the spray assembly is equal to or less than about half of the height.

47. (Original) The spray assembly of claim 36, wherein the pearlized oil droplets are present in an amount of from about 20% to about 50% by volume of the composition.

48. (Original) A spray assembly comprising:

- (a) a container comprising a transparent wall and a pump assembly extending from the wall;
- (b) the composition of claim 35; and
- (c) a dip tube extending from the pump assembly into a region comprising the guanine-containing silicone oil phase oil.

49. (Currently Amended) The ~~composition~~ spray assembly of claim 48, wherein the dip tube, the pump assembly, or both are formed at least in part from polyethylene that is fluorinated.